


Study on Dielectric Properties of Jiangnan New Year Cake Based on Microwave Drying



Abstract: The effects of frequency (915-2450 MHz), moisture content (16-48%) and temperature (25-60 C) on dielectric constant and dielectric loss factor (ϵ'') of Jiangnan rice cake were measured and studied by network analyzer. The penetration depth of [microwave drying equipment](#) was calculated and the effects of frequency, moisture content and temperature on the annual cake were analyzed. The relationship model between electrical parameters and main influencing factors verifies the accuracy and feasibility of predicting water content based on dielectric parameters.

The results show that in the frequency range of 915-2450 MHz, the ϵ'' of rice cake decreases with the increase of frequency, the ϵ'' increases with the increase of frequency, the ϵ'' and ϵ'' both increase with the increase of water content, but decrease with the increase of temperature, and the energy penetration depth decreases with the increase of water content and frequency, and increases with the increase of temperature. The relationship between dielectric parameters and main influencing factors can be described by binary cubic equation, and the determinant coefficients of each model are greater than 0.99. This study has important guiding significance for understanding the dielectric properties of rice cake and the development of moisture content detector.

Key words: [rice cake microwave drying](#); dielectric properties; moisture content; temperature; frequency; penetration depth



Jiangnan New Year Cake is a kind of traditional food, which is white and tasteless. It is made of Japonica Rice and glutinous rice in a certain proportion. It is processed by soaking, water

milling, pressing, cooking, extrusion and other processes. It has excellent quality of smoothness and glutinous, and is welcomed by consumers.

New Year Cake contains protein, fat, carbohydrate, nicotinic acid, calcium, phosphorus, potassium, magnesium and other nutrients, and it is the most famous in Jiangnan Watery Township. In the storage process, especially in summer, rice cake products are prone to mildew, resulting in a short shelf life. Generally, the shelf life is less than one week, which affects its sales and sales scope. Therefore, extending the shelf life of rice cake is an urgent problem to be solved in the current market.

The traditional drying method is mainly hot air drying. The temperature gradient is opposite to the moisture gradient in the drying process. The more difficult the material moisture evaporates, the longer the drying time is, the greater the energy consumption. Microwave drying has attracted more and more attention of food enterprises because of its short drying time, high efficiency and relatively low energy consumption. In dielectric heating treatment and cooking, dielectric properties largely determine the behavior of materials in high frequency or microwave electric field. In addition, dielectric properties of materials depend on their composition, etc. Therefore, the dielectric properties can be used to identify the quality factors such as moisture content and freshness.

At present, the research on dielectric properties of food is mainly applied to rapid detection, sterilization and insecticide, while the research on dielectric properties of materials related to dielectric drying is rarely reported.

Dielectric properties characterize the response of bound charges in biological molecules to applied electric fields. The parameters commonly used to evaluate dielectric properties of materials include dielectric constant, conductivity, dielectric loss factor, tangent of loss angle, equivalent impedance, resistance conductance and capacitance, etc.

In this paper, the dielectric constant, dielectric loss factor and energy penetration depth are studied and analyzed. Dielectric constant is the inherent physical property of dielectric material, which reflects the ability of material to store electric energy, while dielectric loss factor reflects the ability of food to consume energy in electromagnetic field.

In this paper, the research frequency is between industrial microwave frequency and household microwave frequency (915-2450 MHz), the moisture content of the sample (16-48%) (w.b.). Because the cracking of the rice cake when the drying temperature is higher than 60 degrees C will affect the quality of the rice cake, the temperature (25-60 degrees C) is studied. The effects of frequency, temperature and moisture content on dielectric properties of rice cake were studied, and the suitable material thickness of rice cake in microwave heating was determined.

In addition, the relationship between dielectric properties of rice cake and moisture content and temperature was studied, and the mathematical model of dielectric parameters and main influencing factors was established. The water content of rice cake was predicted by dielectric parameters, and the feasibility of dielectric properties in water content prediction was evaluated. It provides basic data for the development of moisture content detector based on dielectric

properties.